

Package ‘mlr3inferr’

January 13, 2025

Title Inference on the Generalization Error

Version 0.1.0

Description An 'mlr3' extension that provides various resampling-based confidence interval (CI) methods for estimating the generalization error. These CI methods are implemented as 'mlr3' measures, enabling the evaluation of individual algorithms on specific tasks as well as the comparison of different learning algorithms.

License LGPL-3

URL <https://mlr3inferr.mlr-org.com>,
<https://github.com/mlr-org/mlr3inferr>

BugReports <https://github.com/mlr-org/mlr3inferr/issues>

Depends mlr3, R (>= 3.1.0)

Imports checkmate, data.table, future, lgr, mlr3measures, mlr3misc,
paradox, R6, withr

Suggests rpart, testthat (>= 3.0.0)

Config/testthat/edition 3

Encoding UTF-8

NeedsCompilation no

RoxygenNote 7.3.2

Collate 'MeasureAbstractCi.R' 'aaa.R' 'MeasureCI.R' 'MeasureCIconZ.R'
'MeasureCICorT.R' 'MeasureCIHoldout.R' 'MeasureCIWaldCV.R'
'MeasureCINestedCV.R' 'ResamplingNestedCV.R'
'ResamplingPairedSubsampling.R' 'bibentries.R' 'zzz.R'

Author Sebastian Fischer [cre, aut] (<<https://orcid.org/0000-0002-9609-3197>>),
Hannah Schulz-Kümpel [aut] (<<https://orcid.org/0000-0003-3972-8392>>)

Maintainer Sebastian Fischer <sebf.fischer@gmail.com>

Repository CRAN

Date/Publication 2025-01-13 17:50:11 UTC

Contents

mlr3inferr-package	2
mlr_measures_abstract_ci	3
mlr_measures_ci	5
mlr_measures_ci_con_z	6
mlr_measures_ci_cor_t	7
mlr_measures_ci_holdout	8
mlr_measures_ci_ncv	9
mlr_measures_ci_wald_cv	10
mlr_resamplings_ncv	11
mlr_resamplings_paired_subsampling	12

Index	15
--------------	-----------

mlr3inferr-package	<i>mlr3inferr: Inference on the Generalization Error</i>
--------------------	--

Description

Confidence interval and resampling methods for inference on the generalization error.

Author(s)

Maintainer: Sebastian Fischer <sebf.fischer@gmail.com> ([ORCID](#))

Authors:

- Hannah Schulz-Kümpel <hannah.kuempel@stat.uni-muenchen.de> ([ORCID](#))

See Also

Useful links:

- <https://mlr3inferr.mlr-org.com>
- <https://github.com/mlr-org/mlr3inferr>
- Report bugs at <https://github.com/mlr-org/mlr3inferr/issues>

mlr_measures_abstract_ci

Abstract Class for Confidence Intervals

Description

Base class for confidence interval measures. See section *Inheriting* on how to add a new method.

Details

The aggregator of the wrapped measure is ignored, as the inheriting CI dictates how the point estimate is constructed. If a measure for which to calculate a CI has `$obs_loss` but also a `$trafo`, (such as RMSE), the delta method is used to obtain confidence intervals.

Parameters

- `alpha` :: numeric(1)
The desired alpha level. This is initialized to `0.05`.
- `within_range` :: logical(1)
Whether to restrict the confidence interval within the range of possible values. This is initialized to TRUE.

Inheriting

To define a new CI method, inherit from the abstract base class and implement the private method: `ci: function(tbl: data.table, rr: ResampleResult, param_vals: named list()) -> numeric(3)`. If `requires_obs_loss` is set to TRUE, `tbl` contains the columns `loss`, `row_id` and `iteration`, which are the pointwise loss, Otherwise, `tbl` contains the result of `rr$score()` with the name of the loss column set to "loss". the identifier of the observation and the resampling iteration. It should return a vector containing the estimate, lower and upper boundary in that order.

In case the confidence interval is not of the form $(\text{estimate}, \text{estimate} - z * \text{se}, \text{estimate} + z * \text{se})$

it is also necessary to implement the private method: `.trafo: function(ci: numeric(3), measure: Measure) -> numeric(3)`

Which receives a confidence interval for a pointwise loss (e.g. squared-error) and transforms it according to the transformation `measure$trafo` (e.g. `sqrt` to go from `mse` to `rmse`).

Super class

`mlr3::Measure -> MeasureAbstractCi`

Public fields

`resamplings` (character())

On which resampling classes this method can operate.

`measure` ([Measure](#))

Methods

Public methods:

- [MeasureAbstractCi\\$new\(\)](#)
- [MeasureAbstractCi\\$aggregate\(\)](#)
- [MeasureAbstractCi\\$clone\(\)](#)

Method `new()`: Creates a new instance of this R6 class.

Usage:

```
MeasureAbstractCi$new(
  measure = NULL,
  param_set = ps(),
  packages = character(),
  resamplings,
  label,
  delta_method = FALSE,
  requires_obs_loss = TRUE
)
```

Arguments:

`measure` ([Measure](#))

The measure for which to calculate a confidence interval. Must have `$obs_loss`.

`param_set` ([ParamSet](#))

Set of hyperparameters.

`packages` (`character()`)

Set of required packages. A warning is signaled by the constructor if at least one of the packages is not installed, but loaded (not attached) later on-demand via [requireNamespace\(\)](#).

`resamplings` (`character()`)

To which resampling classes this measure can be applied.

`label` (`character(1)`)

Label for the new instance.

`delta_method` (`logical(1)`)

Whether to use the delta method for measures (such RMSE) that have a trafo.

`requires_obs_loss` (`logical(1)`)

Whether the inference method requires a pointwise loss function.

Method `aggregate()`: Obtain a point estimate, as well as lower and upper CI boundary.

Usage:

```
MeasureAbstractCi$aggregate(rr)
```

Arguments:

`rr` ([ResampleResult](#))

The resample result.

Returns: `named numeric(3)`

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
MeasureAbstractCi$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

mlr_measures_ci *Default CI Method*

Description

For certain resampling methods, there are default confidence interval methods. See `mlr3::mlr_reflections$default_ci_m` for a selection. This measure will select the appropriate CI method depending on the class of the used [Resampling](#).

Parameters

Only those from [MeasureAbstractCi](#).

Super classes

`mlr3::Measure` -> `mlr3infeer::MeasureAbstractCi` -> `Measure`

Methods

Public methods:

- [MeasureCi\\$new\(\)](#)
- [MeasureCi\\$aggregate\(\)](#)
- [MeasureCi\\$clone\(\)](#)

Method `new()`: Creates a new instance of this [R6](#) class.

Usage:

```
MeasureCi$new(measure)
```

Arguments:

measure ([Measure](#) or `character(1)`)
A measure of ID of a measure.

Method `aggregate()`: Obtain a point estimate, as well as lower and upper CI boundary.

Usage:

```
MeasureCi$aggregate(rr)
```

Arguments:

rr ([ResampleResult](#))
Resample result.

Returns: `named numeric(3)`

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
MeasureCi$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

Examples

```
rr = resample(tsk("sonar"), lrn("classif.featureless"), rsmpl("holdout"))
rr$aggregate(msr("ci", "classif.acc"))
# is the same as:
rr$aggregate(msr("ci.holdout", "classif.acc"))
```

mlr_measures_ci_con_z *Conservative-Z CI*

Description

The conservative-z confidence intervals based on the [ResamplingPairedSubsampling](#). Because the variance estimate is obtained using only $n / 2$ observations, it tends to be conservative. This inference method can also be applied to non-decomposable losses.

Parameters

Only those from [MeasureAbstractCi](#).

Super classes

`mlr3::Measure` -> `mlr3infe::MeasureAbstractCi` -> `MeasureCiConZ`

Methods**Public methods:**

- [MeasureCiConZ\\$new\(\)](#)
- [MeasureCiConZ\\$clone\(\)](#)

Method `new()`: Creates a new instance of this [R6](#) class.

Usage:

```
MeasureCiConZ$new(measure)
```

Arguments:

measure ([Measure](#) or `character(1)`)
A measure of ID of a measure.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
MeasureCiConZ$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

References

Nadeau, Claude, Bengio, Yoshua (1999). "Inference for the generalization error." *Advances in neural information processing systems*, **12**.

Examples

```
ci_conz = msr("ci.con_z", "classif.acc")
ci_conz
```

mlr_measures_ci_cor_t *Corrected-T CI*

Description

Corrected-T confidence intervals based on [ResamplingSubsampling](#). A heuristic factor is applied to correct for the dependence between the iterations. The confidence intervals tend to be liberal. This inference method can also be applied to non-decomposable losses.

Parameters

Only those from [MeasureAbstractCi](#).

Super classes

```
mlr3::Measure -> mlr3infe::MeasureAbstractCi -> MeasureCiCorrectedT
```

Methods**Public methods:**

- [MeasureCiCorrectedT\\$new\(\)](#)
- [MeasureCiCorrectedT\\$clone\(\)](#)

Method `new()`: Creates a new instance of this R6 class.

Usage:

```
MeasureCiCorrectedT$new(measure)
```

Arguments:

measure ([Measure](#) or character(1))
A measure of ID of a measure.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
MeasureCiCorrectedT$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

References

Nadeau, Claude, Bengio, Yoshua (1999). "Inference for the generalization error." *Advances in neural information processing systems*, **12**.

Examples

```

m_cort = msr("ci.cor_t", "classif.acc")
m_cort
rr = resample(
  tsk("sonar"),
  lrn("classif.featureless"),
  rsmpl("subsampling", repeats = 10)
)
rr$aggregate(m_cort)

```

mlr_measures_ci_holdout

Holdout CI

Description

Standard holdout CI. This inference method can only be applied to decomposable losses.

Parameters

Only those from [MeasureAbstractCi](#).

Super classes

`mlr3::Measure` -> `mlr3infe::MeasureAbstractCi` -> `MeasureCiHoldout`

Methods**Public methods:**

- [MeasureCiHoldout\\$new\(\)](#)
- [MeasureCiHoldout\\$clone\(\)](#)

Method `new()`: Creates a new instance of this [R6](#) class.

Usage:

```
MeasureCiHoldout$new(measure)
```

Arguments:

measure ([Measure](#) or `character(1)`)
 A measure of ID of a measure.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
MeasureCiHoldout$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

Examples

```

ci_ho = msr("ci.holdout", "classif.acc")
ci_ho
rr = resample(tsk("sonar"), lrn("classif.featureless"), rsmp("holdout"))
rr$aggregate(ci_ho)

```

mlr_measures_ci_ncv *Nested CV CI*

Description

Confidence Intervals based on [ResamplingNestedCV](#), including bias-correction. This inference method can only be applied to decomposable losses.

Parameters

Those from [MeasureAbstractCi](#), as well as:

- `bias :: logical(1)`
Whether to do bias correction. This is initialized to TRUE. If FALSE, the outer iterations are used for the point estimate and no bias correction is applied.

Super classes

`mlr3::Measure` -> `mlr3infe::MeasureAbstractCi` -> `MeasureCiNestedCV`

Methods**Public methods:**

- [MeasureCiNestedCV\\$new\(\)](#)
- [MeasureCiNestedCV\\$clone\(\)](#)

Method `new()`: Creates a new instance of this [R6](#) class.

Usage:

```
MeasureCiNestedCV$new(measure)
```

Arguments:

measure ([Measure](#) or `character(1)`)
A measure of ID of a measure.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
MeasureCiNestedCV$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

References

Bates, Stephen, Hastie, Trevor, Tibshirani, Robert (2024). “Cross-validation: what does it estimate and how well does it do it?” *Journal of the American Statistical Association*, **119**(546), 1434–1445.

Examples

```
ci_ncv = msr("ci.ncv", "classif.acc")
ci_ncv
```

```
mlr_measures_ci_wald_cv
```

Cross-Validation CI

Description

Confidence intervals for cross-validation. The method is asymptotically exact for the so called *Test Error* as defined by Bayle et al. (2020). For the (expected) risk, the confidence intervals tend to be too liberal. This inference method can only be applied to decomposable losses.

Parameters

Those from [MeasureAbstractCi](#), as well as:

- `variance` :: "all-pairs" or "within-fold"
How to estimate the variance. The results tend to be very similar.

Super classes

```
mlr3::Measure -> mlr3inferr::MeasureAbstractCi -> MeasureCiWaldCV
```

Methods

Public methods:

- [MeasureCiWaldCV\\$new\(\)](#)
- [MeasureCiWaldCV\\$clone\(\)](#)

Method `new()`: Creates a new instance of this [R6](#) class.

Usage:

```
MeasureCiWaldCV$new(measure)
```

Arguments:

`measure` ([Measure](#) or `character(1)`)
A measure of ID of a measure.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
MeasureCiWaldCV$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

References

Bayle, Pierre, Bayle, Alexandre, Janson, Lucas, Mackey, Lester (2020). “Cross-validation confidence intervals for test error.” *Advances in Neural Information Processing Systems*, **33**, 16339–16350.

Examples

```
m_walddcv = msr("ci.wald_cv", "classif.ce")
m_walddcv
rr = resample(tsk("sonar"), lrn("classif.featureless"), rsmpl("cv"))
rr$aggregate(m_walddcv)
```

mlr_resamplings_ncv *Nested Cross-Validation*

Description

This implements the Nested CV resampling procedure by Bates et al. (2024).

Parameters

- `folds :: integer(1)`
The number of folds. This is initialized to 5.
- `repeats :: integer(1)`
The number of repetitions. This is initialized to 10.

Super class

`mlr3::Resampling` -> `ResamplingNestedCV`

Active bindings

`iters` (`integer(1)`)
The total number of resampling iterations.

Methods

Public methods:

- `ResamplingNestedCV$new()`
- `ResamplingNestedCV$unflatten()`
- `ResamplingNestedCV$clone()`

Method `new()`: Creates a new instance of this R6 class.

Usage:

`ResamplingNestedCV$new()`

Method `unflatten()`: Convert a resampling iteration to a more useful representation. For outer resampling iterations, `inner` is NA.

Usage:

```
ResamplingNestedCV$unflatten(iter)
```

Arguments:

`iter` (`integer(1)`)

The iteration.

Returns: `list(rep, outer, inner)`

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
ResamplingNestedCV$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

References

Bates, Stephen, Hastie, Trevor, Tibshirani, Robert (2024). “Cross-validation: what does it estimate and how well does it do it?” *Journal of the American Statistical Association*, **119**(546), 1434–1445.

Examples

```
ncv = rsmpl("nested_cv", folds = 3, repeats = 10L)
ncv
rr = resample(tsk("mtcars"), lrn("regr.featureless"), ncv)
```

mlr_resamplings_paired_subsampling
Paired Subsampling

Description

Paired Subsampling to enable inference on the generalization error. One should **not** directly call `$aggregate()` with a non-CI measure on a resample result using paired subsampling, as most of the resampling iterations are only intended

Details

The first `repeats_in` iterations are a standard [ResamplingSubsampling](#) and should be used to obtain a point estimate of the generalization error. The remaining iterations should be used to estimate the standard error. Here, the data is divided `repeats_out` times into two equally sized disjunct subsets, to each of which subsampling which, a subsampling with `repeats_in` repetitions is applied. See the `$unflatten(iter)` method to map the iterations to this nested structure.

Parameters

- `repeats_in :: integer(1)`
The inner repetitions.
- `repeats_out :: integer(1)`
The outer repetitions.
- `ratio :: numeric(1)`
The proportion of data to use for training.

Super class

`mlr3::Resampling` -> `ResamplingPairedSubsampling`

Active bindings

`iters (integer(1))`
The total number of resampling iterations.

Methods**Public methods:**

- `ResamplingPairedSubsampling$new()`
- `ResamplingPairedSubsampling$unflatten()`
- `ResamplingPairedSubsampling$clone()`

Method `new()`: Creates a new instance of this R6 class.

Usage:

`ResamplingPairedSubsampling$new()`

Method `unflatten()`: Unflatten the resampling iteration into a more informative representation:

- `inner`: The subsampling iteration
- `outer`: NA for the first `repeats_in` iterations. Otherwise it indicates the outer iteration of the paired subsamplings.
- `partition`: NA for the first `repeats_in` iterations. Otherwise it indicates whether the subsampling is applied to the first or second partition Of the two disjoint halves.

Usage:

`ResamplingPairedSubsampling$unflatten(iter)`

Arguments:

`iter (integer(1))`
Resampling iteration.

Returns: `list(outer, partition, inner)`

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

`ResamplingPairedSubsampling$clone(deep = FALSE)`

Arguments:

`deep` Whether to make a deep clone.

References

Nadeau, Claude, Bengio, Yoshua (1999). "Inference for the generalization error." *Advances in neural information processing systems*, **12**.

Examples

```
pw_subs = rsmpl("paired_subsampling")  
pw_subs
```

Index

Measure, [3–10](#)
MeasureAbstractCi, [5–10](#)
MeasureAbstractCi
 ([mlr_measures_abstract_ci](#)), [3](#)
MeasureCi ([mlr_measures_ci](#)), [5](#)
MeasureCiConZ ([mlr_measures_ci_con_z](#)), [6](#)
MeasureCiCorrectedT
 ([mlr_measures_ci_cor_t](#)), [7](#)
MeasureCiHoldout
 ([mlr_measures_ci_holdout](#)), [8](#)
MeasureCiNestedCV
 ([mlr_measures_ci_ncv](#)), [9](#)
MeasureCiWaldCV
 ([mlr_measures_ci_wald_cv](#)), [10](#)
mlr3::Measure, [3, 5–10](#)
mlr3::Resampling, [11, 13](#)
mlr3infern ([mlr3infern-package](#)), [2](#)
mlr3infern-package, [2](#)
mlr3infern::MeasureAbstractCi, [5–10](#)
mlr_measures_abstract_ci, [3](#)
mlr_measures_ci, [5](#)
mlr_measures_ci_con_z, [6](#)
mlr_measures_ci_cor_t, [7](#)
mlr_measures_ci_holdout, [8](#)
mlr_measures_ci_ncv, [9](#)
mlr_measures_ci_wald_cv, [10](#)
mlr_resamplings_ncv, [11](#)
mlr_resamplings_paired_subsampling, [12](#)

ParamSet, [4](#)

R6, [4–11, 13](#)
requireNamespace(), [4](#)
ResampleResult, [4, 5](#)
Resampling, [5](#)
ResamplingNestedCV, [9](#)
ResamplingNestedCV
 ([mlr_resamplings_ncv](#)), [11](#)
ResamplingPairedSubsampling, [6](#)
ResamplingPairedSubsampling
 ([mlr_resamplings_paired_subsampling](#)),
 [12](#)
ResamplingSubsampling, [7, 12](#)